



1600

OHW PROMOTIONS

Valid as of 01.06.2024

For UK & Irish Market Only



IDC5 DIAGNOSTIC SOFTWARE

STRONG POINTS OF IDC5



IDC5 is the core of the diagnostic solutions by TEXA.

It is a software that guides technicians throughout all the diagnostic phases, from the identification of the error up to its solution, in a practical, safe and professional way.

It constantly updates and increases its coverage of makes and models, to help repair professionals solve typical problems that arise during their everyday work. IDC5 also offers a series of exclusive functions and technical documentation that exceed the traditional concept of diagnosis. Among these: automatic vehicle search, TGS3s control unit scan, dashboards, interactive wiring diagrams, guided diagnosis, solved problems, technical bulletins, mechanical data and error help sheets.

DIAGNOSTIC COVERAGE

The software remains up to date with the evolution of the vehicle market worldwide due to the **continuous updates** included in the subscription. A world of information organised by make, model and engine type, and the option to examine in depth by viewing: **database, wiring diagrams, technical bulletins and solved problems.**

SOFTWARE SPEED

The speed of IDC5 in entering into communication with the vehicle and in all the diagnostic phases allows a higher **efficiency**, reducing the diagnostic operation times.

THOROUGH ADJUSTMENTS

The thoroughness of the **diagnostic adjustments** developed by TEXA and included in the software makes them comparable to the official testers of each brand, guaranteeing an optimal autonomy.

DASHBOARDS



One of the exclusive functions available in the IDC5 operating software, the DASHBOARDS gives you the option to **view the vehicle's engineering parameters**, associated with **intuitive captivating graphics** that reproduces a vehicle dashboard, the mechanical components and the system's operating logic.

OE DIAGNOSIS

TEXA's diagnosis allows performing **multi-brand diagnosis** using enhanced communication protocols, such as **DoIP** and **PassThru**, easily and quickly.

OE FUNCTIONS

IDC5 integrates some **specific functions of the manufacturer's diagnostics** into the multibrand diagnosis, allowing operators to carry out advanced operations without having to use an original tool.



THE AXONE RANGE

THE EVOLUTION

TOOL COMPARISON



	AXONE NEMO LIGHT	AXONE NEMO PLUS	AXONE VOICE
Display	10.1"	11.6"	13.3" Gorilla® Glass
Resolution	1920 x 1200 pixel	1920 x 1080 pixel	2560 x 1600 pixel
Robustness	Rugged Design	Rugged design with casing in magnesium compliant with MIL - STD 810G	Rugged design with casing in magnesium compliant with MIL - STD 810G
Processor	Intel® N100 with standard dissipation	Intel® N100 with optimised dissipation due to the magnesium body	Intel®i5 8M cache, 1,5-4,1 Ghz Turbo Boost - Quad Core 15W
RAM	8 GB	16 GB	16 GB
Hard Disk	250 GB with eMMC technology	250 GB SSD with ultra-fast PCIe technology	512 GB SSD 2280 PCIe Gen 3.0 x 4 lane NVMe
Battery	Rechargeable Li-ion 7,4 Vdc; 44,4 Wh; 6000 mAh	Rechargeable Li-ion 7,2 Vdc; 50,3 Wh; 6990 mAh long-lasting	Rechargeable Li-ion 7,2 Vdc; 90 Wh; 12500 mAh (10 hours of autonomy)
Cooling	Standard	Forced Air	Cooling Refrigerant
Hands-Free use	-	-	Yes
Pass-Thru	-	With limitations	Yes
Number of manageable Environments	2	3	5

CODE: UKD05201

AXONE VOICE OHW PACK MULTIHUB VCI (12 MONTHS)




AXONE VOICE is TEXA's most popular tablet for multi-brand diagnosis. It is able to operate 5 vehicle environments and comprises a range of technical features making it our flagship product.

Tool Features

- Gorilla® Glass 13.3" Display
- Intel® Core i5 CPU
- 2560 x1600 px Resolution
- 16GB LPDDR4 RAM
- 512 GB Storage SSD PCIe
- Intel® Iris® Xe Graphics Card
- 12500 mAh Lithium Battery
- Bluetooth® 5.1 and Dual Band Wi-Fi Connectivity
- 2 Cameras 8MP (Front) 8MP AF with Flash (Rear).

Inclusive Software Capabilities

 TGS3S GLOBAL SYSTEM SCAN	 ERROR HELP
 REC&PLAY: DIAGNOSTIC SESSION RECORDING	 TECHNICAL SHEETS
 FREEZE FRAME	 TECHNICAL DATA
 PASS-THRU	 WIRING DIAGRAMS

TEXA

WHAT'S INCLUDED?

- AXONE Voice Tablet
- AXONE Voice Handle
- IDC5 **Premium OHW** Software
- TXT MULTIHUB VCI
- OHW Power Supply
- Deutsch 9 Pin Adapter
- 12 Months OHW Texpack Software Updates
- 12 Months OHW Tex@info Technical Support
- 3 Years Warranty*

** 3 year warranty is applicable specifically to the AXONE Voice and TXT MULTIHUB*



**EXTEND YOUR
SUBSCRIPTIONS
TO AN ADDITIONAL
2 YEARS!***

USE CODE: UKD05203

**This package includes the same contents as UKD05201 with 3 years subscriptions.*

£7,170 EXCL VAT

CODE: UKD04301

AXONE NEMO PLUS

OHW PACK MULTHUB VCI (12 MONTHS)



AXONE NEMO PLUS offers an unrivalled diagnostic experience. Its robustness and reliability ensure a hassle-free use. The AXONE NEMO PLUS comes with an ergonomic and adjustable handle making it easier to transport.

Tool Features

- Ultra-Wide 11.6" Display
- Intel® N100 CPU
- 1920 x 1080 Pixel Resolution
- 16GB RAM DDR5
- 250GB Storage SSD PCIe
- High-capacity Battery: 6990 mAh
- Wi-Fi: 6E (802.11ax)& Bluetooth®:5.3
- 2MP LED Flash Camera

Inclusive Software Capabilities

 TGS3S GLOBAL SYSTEM SCAN	 ERROR HELP
 REC&PLAY: DIAGNOSTIC SESSION RECORDING	 TECHNICAL SHEETS
 FREEZE FRAME	 TECHNICAL DATA
 PASS-THRU	 WIRING DIAGRAMS

TEXA

WHAT'S INCLUDED?

- AXONE Nemo PLUS Tablet
- AXONE Nemo PLUS Handle
- IDC5 **Premium OHW** Software
- TXT MULTIHUB VCI
- OHW Power Supply
- Deutsch 9 Pin Adapter
- 12 Months OHW Texpack Software Updates
- 12 Months OHW Tex@info Technical Support
- 2 Years Warranty



EXTEND YOUR SUBSCRIPTIONS TO AN ADDITIONAL 2 YEARS!

USE CODE: UKD04303

**This package includes the same contents as UKD04301 with 3 years subscriptions.*

£6,545 EXCL VAT

CODE: UKD05101

OHW FOR PC

MULTIHUB VCI (12 MONTHS)





TXT MULTIHUB is the top-of-the-range vehicle interface, equipped with advanced features and functionalities. The TXT MULTIHUB is the only diagnostic tool capable of diagnosing cars, heavy-duty vehicles, motorcycles, boats, agricultural and construction vehicles.

Tool Features

- Display OLED 64x128 dot
- iMX6 1 GHz
- 176.1 x 175.4 x 46.8 Dimensions
- 512MB RAM
- eMMC 8 GB Storage
- Bluetooth® 5.0 (BDR/EDR/LE)
- Wi-Fi IEEE 802.11 b/g/n 2.4GHz

Inclusive Software Capabilities

 TGS3S GLOBAL SYSTEM SCAN	 ERROR HELP
 REC&PLAY: DIAGNOSTIC SESSION RECORDING	 TECHNICAL SHEETS
 FREEZE FRAME	 TECHNICAL DATA
 PASS-THRU	 WIRING DIAGRAMS


TEXA

WHAT'S INCLUDED?

- TXT MULTIHUB VCI
- IDC5 **PLUS OHW** Software for PC
- OHW Power Supply
- Deutsch 9 Pin Adapter
- 12 Months OHW Texpack Software Updates
- 12 Months OHW Tex@info Technical Support
- 2 Years Warranty

SYSTEM REQUIREMENTS

This packages requires a Windows 10 or 11 PC.



CODE: UKD05102

AGRI FOR PC

MULTIHUB VCI (12 MONTHS)



£3,020 EXCL VAT



TXT MULTIHUB is the top-of-the-range vehicle interface, equipped with advanced features and functionalities. The TXT MULTIHUB is the only diagnostic tool capable of diagnosing cars, heavy-duty vehicles, motorcycles, boats, agricultural and construction vehicles.

Tool Features

- Display OLED 64x128 dot
- iMX6 1 GHz
- 176.1 x 175.4 x 46.8 Dimensions
- 512MB RAM
- eMMC 8 GB Storage
- Bluetooth® 5.0 (BDR/EDR/LE)
- Wi-Fi IEEE 802.11 b/g/n 2.4GHz

Inclusive Software Capabilities

 TGS3S GLOBAL SYSTEM SCAN	 ERROR HELP
 REC&PLAY: DIAGNOSTIC SESSION RECORDING	 TECHNICAL SHEETS
 FREEZE FRAME	 TECHNICAL DATA
 PASS-THRU	 WIRING DIAGRAMS


TEXA

WHAT'S INCLUDED?

- TXT MULTIHUB VCI
- IDC5 **PLUS AGRI** Software for PC
- OHW Power Supply
- Deutsch 9 Pin Adapter
- 12 Months OHW Texpack Software Updates
- 12 Months OHW Tex@info Technical Support
- 2 Years Warranty

SYSTEM REQUIREMENTS

This packages requires a Windows 10 or 11 PC.



CODE: UKD05103

CONSTRUCTION FOR PC

MULTIHUB VCI (12 MONTHS)



TXT MULTIHUB is the top-of-the-range vehicle interface, equipped with advanced features and functionalities. The TXT MULTIHUB is the only diagnostic tool capable of diagnosing cars, heavy-duty vehicles, motorcycles, boats, agricultural and construction vehicles.

Tool Features

- Display OLED 64x128 dot
- iMX6 1 GHz
- 176.1 x 175.4 x 46.8 Dimensions
- 512MB RAM
- eMMC 8 GB Storage
- Bluetooth® 5.0 (BDR/EDR/LE)
- Wi-Fi IEEE 802.11 b/g/n 2.4GHz

Inclusive Software Capabilities

 TGS3S GLOBAL SYSTEM SCAN	 ERROR HELP
 REC&PLAY: DIAGNOSTIC SESSION RECORDING	 TECHNICAL SHEETS
 FREEZE FRAME	 TECHNICAL DATA
 PASS-THRU	 WIRING DIAGRAMS


TEXA

WHAT'S INCLUDED?

- TXT MULTIHUB VCI
- IDC5 **PLUS Construction** Software for PC
- OHW Power Supply
- Deutsch 9 Pin Adapter
- 12 Months OHW Texpack Software Updates
- 12 Months OHW Tex@info Technical Support
- 2 Years Warranty

SYSTEM REQUIREMENTS

This packages requires a Windows 10 or 11 PC.





P/N	Description	Price
AGRI CABLE CASE		
3151/T27	Deutz 12 Pin Cable	£132
3151/T07	Universal Cable With Pin-Out Kit	£201
3151/T32A	Same-Deutz-Claas	£92
3151/T33	Agri FENDT Cable	£76
3151/T37	SISU, SAOUER DANFOSS & CARARRO Transmission Cable	£67
3151/T38	Deutsch 9 Pin Caterpillar And Perkins Cable	£102
3151/T39	MASSEY FERGUSON Cable	£81
3151/T40	VALTRA Cable	£76
3151/T42	NEW HOLLAND TN Series Cable	£173
3151/T43	CLAAS/RENAULT Cable	£126
3151/T51	VALTRA 2nd Generation Cable	£65
3151/T53	LANDINI/MCCORMICK Cable	£52
3151/T55	KUBOTA AG/CE	£52
3902211	NEW HOLLAND Diagnosis Button Cable For Tm 2nd Series	£41
3902219	CNH Bridged Connector	£72
3910328	Cable Storage Case	£82
CONSTRUCTION CABLE CASE		
3151/T11B	VOLVO Truck Cable	£112
3151/T27	DEUTZ 12 Pin Cable	£132
3151/T38	DEUTSCH 9 Pin CATERPILLAR and PERKINS Cable	£102
3151/T47	VOLVO CE Cable	£81
3151/T50	CUMMINS Industrial Cable	£81
3151/T54	HITACHI Construction Cable	£53
3151/T55	KUBOTA AG/CE Cable	£52
3151/T58A	BOBCAT Cable	£111
3151/T61	CATERPILLAR Construction Cable	£181
3151/T63	DOOSAN & BOBCAT Engine Cable	£81
3151/T65	YANMAR Engine Cable	£76
3151/T66	HYUNDAI CE Cable	£156
3151/T67	KOMATSU CE Cable	£79
3910328	Cable Storage Case	£82
INDIVIDUAL OFF HIGHWAY CABLES		
3151/T02B	IVECO 30 PIN Cable For Euro 2 & Euro 3 Vehicle	£81
3151/T07	Universal Cable with Pin out Kit	£140
3151/T09A	MERCEDES BENZ Cable For EURO 2 & EURO 3 Vehicles	£112
3151/T10A	DAF Cable for Euro 2 & Euro 3 vehicles	£97
3151/T11B	VOLVO Truck Cable	£112
3151/T12	MAN 37 PIN Cable For EURO 2 & EURO 3 Vehicles	£141
3151/T17	ZF 1st Generation System Cable	£92
3151/T19	VOITH Systems Cable	£92
3151/T27	DEUTZ 12 Pin Cable	£132
3151/T32A	SAME-DEUTZ-CLAAS Cable	£92
3151/T33	Agri FENDT Cable	£76
3151/T34	BOSCH Rexroth Cable	£132
3151/T37	SISU, SAOUER DANFOSS & CARRARO Transmission Cable	£67
3151/T38	DEUTSCH 9 pin CATERPILLAR and PERKINS Cable	£108



INDIVIDUAL OHW CABLES		
3151/T27	Deutz 12 Pin Cable	£132
3151/T29	VOLVO PENTA 2 Cable and 8 Pin No 16 Adapter	£152
3151/T32A	Same-Deutz-Claas	£92
3151/T33	Agri FENDT Cable	£76
3151/T34	BOSCH FAN and HYDRAULIC REXROTH Cable	£132
3151/T37	SISU, SAUER DANFOSS and CARRARO Transmission Cable	£67
3151/T38	DEUTSCH 9 Pin CATERPILLAR and PERKINS Cable	£102
3151/T39	MASSEY FERGUSSON Cable	£81
3151/T40	1st Generation Valtra Cable	£76
3151/T41A	ZF Truck 2nd Generation Cable	£88
3151/T42	NEW HOLLAND TN Series Cable	£173
3902211	NEW HOLLAND Diagnosis button Cable	£41
3151/T43	CLAAS and RENAULT Cable	£126
3151/T44	CARRARO Lifter (MF,JD & Class) Cable	£72
3151/T47	VOLVO Construction Cable	£81
3151/T50	CUMMINS Industrial Cable	£81
3151/T51	VALTRA 2nd Generation Cable	£65
3151/T53	LANDINI /MCCORMICK Cable	£52
3151/T54	HITACHI Construction Cable	£53
3151/T55	KUBOTA AG/CE Cable	£52
3151/T58A	BOBCAT Cable	£111
3902211	NEW HOLLAND Diagnosis Button Cable for TM 2nd Series	£41
3902219	CNH Group Bridged Connector	£72
3151/T59	PLC ABS-Trailers OBD-II Cable	£241
3151/T60	SCANIA Engine Diagnostic Cable	£60
3151/T61	CATERPILLAR Construction Cable	£181
3151/T62	MTU MDEC-II Engine Cable	£173
3151/T63	DOOSAN Engine Cable	£81
3151/T64	Agricultural Trailer ISO 7638	£374
3151/T65	YANMAR Engine Cable	£76
3151/T66	HYUNDAI CE Cable	£156
3151/T67	KOMATSU CE Cable	£79
3151/T68	SAME-DEUTZ FAHR Cable up to 2003	£188
3151/T69	DOOSAN OHW Diagnosis Cable	£93
3151/T70	TRUCK-OHW Denoxtronic 1 Module Cable	£241
3151/T71	TRUCK-OHW Denoxtronic 2 Module Cable	£322
3151/T74	Forklift LINDE Cable	£94
3151/T75	MTU MDEC-11 Cable	£282
3151/T77	Bike EOBD Power Adapter Cable	£62
3151/T78	SUZUKI Cross Power Cable for Models without starter Battery	£70
3909820	Agri Power Supply Cable	£55
3905031	TRUCK & OHW Power Supply & Adapter Kit for TXTs	£204





Texa UK Limited
32-34 Churchill Way
Lomeshaye Ind Est
Nelson - BB9 6RT

Tel: +44 (0) 1282 606787

Fax: +44 (0)1282 604240

sales.uk@texa.com - edu.uk@texa.com - www.texa.co.uk

This document is strictly confidential. All copying, in part or in whole, is strictly forbidden without the prior authorisation of TEXA S.p.A. Future specifications, descriptions and appearances may vary with respect to this brochure. TEXA S.p.A. reserves the right to modify its products without prior notice.

WARNING

The trademarks and logos of vehicle manufacturers in this document have been used exclusively for information purposes and are used to clarify the compatibility of TEXA products with the models of vehicles identified by the trademarks and logos. Because TEXA products and software are subject to continuous developments and updates, upon reading this document they may not be able to carry out the DIAGNOSTICS of all the models and electronic systems of each vehicle manufacturer mentioned within this document. References to the makes, models and electronic systems within this document must therefore be considered purely indicative and TEXA recommends to always check the list of the "Systems that can be diagnosed" of the product and/or software at TEXA authorized retailers before any purchase. The images and the vehicle outlines within this document have been included for the sole purpose of making it easier to identify the vehicle category (car, truck, motorbike, etc.) for which the TEXA product and/or software is intended. The data, descriptions and illustrations may change compared to those described in this document. TEXA S.p.A. reserves the right to make changes to its products without prior notice.